



## Rb (phospho Ser807) rabbit pAb

Cat#: orb764276 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Rb (phospho Ser807) rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

**Recommended dilutions** Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA:

1/10000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human Retinoblastoma around the phosphorylation site of Ser807. AA

range:781-830

Specificity Phospho-Rb (S807) Polyclonal Antibody detects endogenous levels of Rb

protein only when phosphorylated at S807.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Retinoblastoma-associated protein

Gene Name RB1

Cellular localization Nucleus . During keratinocyte differentiation, acetylation by KAT2B/PCAF

is required for nuclear localization. .

**Purification** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Clonality** Polyclonal





Concentration 1 mg/ml

Observed band 106kD


Human Gene ID 5925

Human Swiss-Prot Number P06400


Alternative Names RB1; Retinoblastoma-associated protein; p105-Rb; pRb; Rb; pp110

## **Background**

The protein encoded by this gene is a negative regulator of the cell cycle and was the first tumor suppressor gene found. The encoded protein also stabilizes constitutive heterochromatin to maintain the overall chromatin structure. The active, hypophosphorylated form of the protein binds transcription factor E2F1. Defects in this gene are a cause of childhood cancer retinoblastoma (RB), bladder cancer, and osteogenic sarcoma. [provided by RefSeq, Jul 2008],



Western Blot analysis of various cells using Phospho-Rb (S807) Polyclonal Antibody diluted at 1:2000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).




Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using Retinoblastoma (Phospho-Ser807) Antibody. The picture on the right is blocked with the phospho peptide.





Explore. Bioreagents.



Western blot analysis of lysates from K562 cells treated with serum 10%, using Retinoblastoma (Phospho-Ser807) Antibody. The lane on the right is blocked with the phospho peptide.