



14-3-3 β rabbit pAb

Cat#: orb764415 (Manual)

For research use only. Not intended for diagnostic use.

Product Name 14-3-3 β rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in

other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human 14-3-3 beta. AA range:41-90

Specificity 14-3-3 β Polyclonal Antibody detects endogenous levels of 14-3-3 β protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name 14-3-3 protein beta/alpha

Gene Name YWHAB

Cellular localization Cytoplasm . Melanosome . Identified by mass spectrometry in melanosome

fractions from stage I to stage IV.; Vacuole membrane. (Microbial infection) Upon infection with Chlamydia trachomatis, this protein is associated with the pathogen-containing vacuole membrane where it colocalizes with IncG.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.





Clonality Polyclonal

Concentration 1 mg/ml

Observed band 28kD

7529 **Human Gene ID**

Human Swiss-Prot Number P31946


YWHAB; 14-3-3 protein beta/alpha; Protein 1054; Protein kinase C inhibitor **Alternative Names**

protein 1; KCIP-1

Background

This gene encodes a protein belonging to the 14-3-3 family of proteins, members of which mediate signal transduction by binding to phosphoserine-containing proteins. This highly conserved protein family is found in both plants and mammals. The encoded protein has been shown to interact with RAF1 and CDC25 phosphatases, suggesting that it may play a role in linking mitogenic signaling and the cell cycle machinery. Two transcript variants, which encode the same protein, have been identified for this gene. [provided]

by RefSeq, Jul 2008],




Western Blot analysis of various cells using 14-3-3 β Polyclonal Antibody







Explore. Bioreagents.



Western Blot analysis of Jurkat cells using 14-3-3 β Polyclonal Antibody



Western blot analysis of lysates from HepG2 and Jurkat cells, using 14-3-3 beta Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HepG2 cells using 14-3-3 β antibody.