



Actinin-α1/2/3/4 rabbit pAb

Cat#: orb764468 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Actinin-α1/2/3/4 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA:

1/20000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human ACTN1/2/3/4. AA range:21-70

Actinin-α1/2/3/4 Polyclonal Antibody detects endogenous levels of Actinin-**Specificity**

 $\alpha 1/2/3/4$ protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Store at -20°C. Avoid repeated freeze-thaw cycles. **Storage**

Protein Name Alpha-actinin-1/2/3/4

Gene Name ACTN1/2/3/4

Cellular localization

Cytoplasm, cytoskeleton . Cytoplasm, myofibril, sarcomere, Z line . Cell membrane . Cell junction . Cell projection, ruffle . Colocalizes with MYOZ2 and PPP3CA at the Z-line of heart and skeletal muscle. Colocalizes with PSD

in membrane ruffles and central reticular structures. .

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

epitope-specific immunogen. chromatography using





Clonality Polyclonal

Concentration 1 mg/ml

Observed band 75kD

Human Gene ID 87/88/89/81

Human Swiss-Prot Number P12814/P35609/Q08043/O43707

Alternative Names ACTN1; Alpha-actinin-1; Alpha-actinin cytoskeletal isoform; F-actin cross-


linking protein; Non-muscle alpha-actinin-1; ACTN2; Alpha-actinin-2; Alpha-actinin skeletal muscle isoform 2; F-actin cross-linking protein;

ACTN3; Alpha-actinin-3; A

Background Alpha actinins belong to the spectrin gene superfamily which represents a

diverse group of cytoskeletal proteins, including the alpha and beta spectrins and dystrophins. Alpha actinin is an actin-binding protein with multiple roles in different cell types. In nonmuscle cells, the cytoskeletal isoform is found along microfilament bundles and adherens-type junctions, where it is involved in binding actin to the membrane. In contrast, skeletal, cardiac, and smooth muscle isoforms are localized to the Z-disc and analogous dense bodies, where they help anchor the myofibrillar actin filaments. This gene encodes a nonmuscle, cytoskeletal, alpha actinin isoform and maps to the same site as the structurally similar erythroid beta spectrin gene. Three transcript variants encoding different isoforms have been found for this gene.

[provided by RefSeq, Jul 2008],




Western Blot analysis of various cells using Actinin-α1/2/3/4 Polyclonal Antibody diluted at 1:1000







Explore. Bioreagents.



Western Blot analysis of A549 cells using Actinin- $\alpha 1/2/3/4$ Polyclonal Antibody diluted at 1:1000



Immunohistochemical analysis of paraffin-embedded Human brain. Antibody was diluted at 1:100(4° overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.



Western blot analysis of lysates from 293, HeLa, and A549 cells, using ACTN1/2/3/4 Antibody. The lane on the right is blocked with the synthesized peptide.