



GSTT1/4 rabbit pAb

Cat#: orb765363 (Manual)

For research use only. Not intended for diagnostic use.

Product Name GSTT1/4 rabbit pAb

Host species Rabbit

Applications WB;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/40000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human GSTT1/4. AA range:10-59

Specificity GSTT1/4 Polyclonal Antibody detects endogenous levels of GSTT1/4

protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Glutathione S-transferase theta-1/Glutathione S-transferase theta-4

Gene Name GSTT1/GSTT4

Cellular localization Cytoplasm.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Concentration 1 mg/ml

Observed band 30kD

Human Gene ID 2952


Human Swiss-Prot Number P30711/A8MPT4

Alternative Names GSTT1; Glutathione S-transferase theta-1; GST class-theta-1; Glutathione

transferase T1-1; GSTT4; Glutathione S-transferase theta-4; GST class-theta-

The protein encoded by this gene, glutathione S-transferase (GST) theta 1 **Background**

(GSTT1), is a member of a superfamily of proteins that catalyze the conjugation of reduced glutathione to a variety of electrophilic and hydrophobic compounds. Human GSTs can be divided into five main classes: alpha, mu, pi, theta, and zeta. The theta class includes GSTT1, GSTT2, and GSTT2B. GSTT1 and GSTT2/GSTT2B share 55% amino acid sequence identity and may play a role in human carcinogenesis. The GSTT1 gene is haplotype-specific and is absent from 38% of the population. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Sep 2015],




Western Blot analysis of various cells using GSTT1/4 Polyclonal Antibody





Explore. Bioreagents.



Western blot analysis of lysates from Jurkat cells, using GSTT1/4 Antibody. The lane on the right is blocked with the synthesized peptide.