



TESK2 rabbit pAb

Cat#: orb766457 (Manual)

For research use only. Not intended for diagnostic use.

Product Name TESK2 rabbit pAb

Host species Rabbit

Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human TESK2. AA range:201-250

Specificity TESK2 Polyclonal Antibody detects endogenous levels of TESK2 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Dual specificity testis-specific protein kinase 2

Gene Name TESK2

Cellular localization Nucleus.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Concentration 1 mg/ml

Observed band 65kD

Human Gene ID 10420


Human Swiss-Prot Number Q96S53

Alternative Names TESK2; Dual specificity testis-specific protein kinase 2; Testicular protein

kinase 2

Background

testis-specific kinase 2(TESK2) Homo sapiens This gene product is a serine/threonine protein kinase that contains an N-terminal protein kinase domain that is structurally similar to the kinase domains of testis-specific protein kinase-1 and the LIM motif-containing protein kinases (LIMKs). Its overall structure is most related to the former, indicating that it belongs to the TESK subgroup of the LIMK/TESK family of protein kinases. This gene is predominantly expressed in testis and prostate. The developmental expression pattern of the rat gene in testis suggests an important role for this gene in meitoic stages and/or early stages of spermiogenesis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Mar 2016],




Western Blot analysis of various cells using TESK2 Polyclonal Antibody





Explore. Bioreagents.



Western blot analysis of the lysates from K562 cells using TESK2 antibody.