



BRMS-1 rabbit pAb

Cat#: orb766763 (Manual)

For research use only. Not intended for diagnostic use.

Product Name BRMS-1 rabbit pAb

Host species Rabbit

Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from the C-

terminal region of human BRMS1. AA range:197-246

Specificity BRMS-1 Polyclonal Antibody detects endogenous levels of BRMS-1

protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Breast cancer metastasis-suppressor 1

Gene Name BRMS1

Cellular localization Nucleus. Cytoplasm. Predominantly nuclear.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Explore. Bioreagents.

Concentration 1 mg/ml

Observed band 28kD


Human Gene ID 25855

Human Swiss-Prot Number Q9HCU9


Alternative Names BRMS1; Breast cancer metastasis-suppressor 1

Background

This gene reduces the metastatic potential, but not the tumorogenicity, of human breast cancer and melanoma cell lines. The protein encoded by this gene localizes primarily to the nucleus and is a component of the mSin3a family of histone deacetylase complexes (HDAC). The protein contains two coiled-coil motifs and several imperfect leucine zipper motifs. Alternative splicing results in two transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008],



Western Blot analysis of HT29, K562, BT474 cells using BRMS-1 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Western blot analysis of lysate from HT29 cells, using BRMS1 Antibody.



