

Troponin I-C (phospho Ser22/S23) rabbit pAb**Cat#: orb767264 (Manual)**


For research use only. Not intended for diagnostic use.

Product Name	Troponin I-C (phospho Ser22/S23) rabbit pAb
Host species	Rabbit
Applications	WB;IHC;IF;ELISA
Species Cross-Reactivity	Mouse;Rat
Recommended dilutions	Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA: 1/20000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized peptide derived from mouse TNNI3 around the phosphorylation site of Ser22 and Ser23. AA range:5-54
Specificity	Phospho-Troponin I-C (S22/S23) Polyclonal Antibody detects endogenous levels of Troponin I-C protein only when phosphorylated at S22/S23.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide..
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Troponin I cardiac muscle
Gene Name	Tnni3
Cellular localization	
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Clonality	Polyclonal


Concentration	1 mg/ml
Observed band	28kD
Human Gene ID	
Human Swiss-Prot Number	
Alternative Names	TNNI3; TNNC1; Troponin I; cardiac muscle; Cardiac troponin I

Background


Troponin I (TnI), along with troponin T (TnT) and troponin C (TnC), is one of 3 subunits that form the troponin complex of the thin filaments of striated muscle. TnI is the inhibitory subunit; blocking actin-myosin interactions and thereby mediating striated muscle relaxation. The TnI subfamily contains three genes: tnl-skeletal-fast-twitch, TnI-skeletal-slow-twitch, and TnI-cardiac. This gene encodes the TnI-cardiac protein and is exclusively expressed in cardiac muscle tissues. Mutations in this gene cause familial hypertrophic cardiomyopathy type 7 (CMH7) and familial restrictive cardiomyopathy (RCM).




Western Blot analysis of SH-SY5Y cells using Phospho-Troponin I-C (S22/S23) Polyclonal Antibody diluted at 1:1000



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using TNNI3 (Phospho-Ser22+Ser23) Antibody



Immunohistochemistry analysis of paraffin-embedded human skeletal muscle, using TNNI3 (Phospho-Ser22+Ser23) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from mouse heart, using TNNI3 (Phospho-Ser22+Ser23) Antibody. The lane on the right is blocked with the phospho peptide.