



SAP 49 rabbit pAb

Cat#: orb767321 (Manual)

For research use only. Not intended for diagnostic use.

Product Name SAP 49 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA:

1/40000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human SF3B4. AA range:61-110

Specificity SAP 49 Polyclonal Antibody detects endogenous levels of SAP 49 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Splicing factor 3B subunit 4

Gene Name SF3B4

Cellular localization Nucleus.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Explore. Bioreagents.

Concentration 1 mg/ml

Observed band 55kD

Human Gene ID 10262

Human Swiss-Prot Number Q15427


Alternative Names SF3B4; SAP49; Splicing factor 3B subunit 4; Pre-mRNA-splicing factor

SF3b 49 kDa subunit; SF3b50; Spliceosome-associated protein 49; SAP 49


Background This gene encodes one of four subunits of the splicing factor 3B. The protein

encoded by this gene cross-links to a region in the pre-mRNA immediately upstream of the branchpoint sequence in pre-mRNA in the prespliceosomal complex A. It also may be involved in the assembly of the B, C and E spliceosomal complexes. In addition to RNA-binding activity, this protein interacts directly and highly specifically with subunit 2 of the splicing factor 3B. This protein contains two N-terminal RNA-recognition motifs (RRMs), consistent with the observation that it binds directly to pre-mRNA. [provided

by RefSeq, Jul 2008],



Western Blot analysis of K562 cells using SAP 49 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).




Western Blot analysis of K562 cells using SAP 49 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).






Explore. Bioreagents.



Western blot analysis of the lysates from 293 cells using SF3B4 antibody.



Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).