



Dynamin I (phospho Ser778) rabbit pAb

Cat#: orb767884 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Dynamin I (phospho Ser778) rabbit pAb

Host species Rabbit

Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human DYN1 around the phosphorylation site of Ser778. AA range:751-800

Specificity Phospho-Dynamin I (S778) Polyclonal Antibody detects endogenous levels

of Dynamin I protein only when phosphorylated at S778.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Dynamin-1

Gene Name DNM1

Cellular localization Cytoplasm . Cytoplasm, cytoskeleton . Microtubule-associated.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Concentration 1 mg/ml

Observed band 100kD


Human Gene ID 1759

Human Swiss-Prot Number Q05193

Alternative Names DNM1; DNM; Dynamin-1

Background

dynamin 1(DNM1) Homo sapiens This gene encodes a member of the dynamin subfamily of GTP-binding proteins. The encoded protein possesses unique mechanochemical properties used to tubulate and sever membranes, and is involved in clathrin-mediated endocytosis and other vesicular trafficking processes. Actin and other cytoskeletal proteins act as binding partners for the encoded protein, which can also self-assemble leading to stimulation of GTPase activity. More than sixty highly conserved copies of the 3' region of this gene are found elsewhere in the genome, particularly on chromosomes Y and 15. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq, Jul 2008],




Western Blot analysis of Mouse-Brain cells using Phospho-Dynamin I (S778) Polyclonal Antibody





Explore. Bioreagents.



Western blot analysis of DYN1 (Phospho-Ser778) Antibody. The lane on the right is blocked with the DYN1 (Phospho-Ser778) peptide.