



JAK2 (phospho Tyr221) rabbit pAb

Cat#: orb768845 (Manual)

For research use only. Not intended for diagnostic use.

Product Name JAK2 (phospho Tyr221) rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA:

1/10000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human JAK2 around the phosphorylation site of Tyr221. AA range:191-240

Specificity Phospho-JAK2 (Y221) Polyclonal Antibody detects endogenous levels of

JAK2 protein only when phosphorylated at Y221.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Tyrosine-protein kinase JAK2

Gene Name JAK2

Cellular localization Endomembrane system; Peripheral membrane protein. Cytoplasm.

Nucleus.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Explore. Bioreagents.

Concentration 1 mg/ml

Observed band 130kD


Human Gene ID 3717

Human Swiss-Prot Number O60674


Alternative Names JAK2; Tyrosine-protein kinase JAK2; Janus kinase 2; JAK-2

Background

This gene product is a protein tyrosine kinase involved in a specific subset of cytokine receptor signaling pathways. It has been found to be constituitively associated with the prolactin receptor and is required for responses to gamma interferon. Mice that do not express an active protein for this gene exhibit embryonic lethality associated with the absence of definitive erythropoiesis. [provided by RefSeq, Jul 2008],



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using JAK2 (Phospho-Tyr221) Antibody




Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using JAK2 (Phospho-Tyr221) Antibody. The picture on the right is blocked with the phospho peptide.





Explore. Bioreagents.



Western blot analysis of lysates from K562 cells, using JAK2 (Phospho-Tyr221) Antibody. The lane on the right is blocked with the phospho peptide.