



## eNOS (phospho Thr494) rabbit pAb

**Cat#: orb769274 (Manual)** 

For research use only. Not intended for diagnostic use.

Product Name eNOS (phospho Thr494) rabbit pAb

Host species Rabbit

Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

**Recommended dilutions** Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other

applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human eNOS around the phosphorylation site of Thr494. AA range:462-511

Specificity Phospho-NOS3 (T494) Polyclonal Antibody detects endogenous levels of

NOS3 protein only when phosphorylated at T494.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Nitric oxide synthase endothelial

Gene Name NOS3

Cellular localization Cell membrane. Membrane, caveola. Cytoplasm, cytoskeleton. Golgi

apparatus. Specifically associates with actin cytoskeleton in the G2 phase of the cell cycle; which is favored by interaction with NOSIP and results in a

reduced enzymatic activity.

**Purification** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.





Explore. Bioreagents.

Polyclonal **Clonality** 

Concentration 1 mg/ml

Observed band 130-140kD

**Human Gene ID** 4846


**Human Swiss-Prot Number** P29474

NOS3; Nitric oxide synthase; endothelial; Constitutive NOS; cNOS; ECNOS; Endothelial NOS; eNOS; NOS type III; NOSIII **Alternative Names** 


Background Nitric oxide is a reactive free radical which acts as a biologic mediator in

several processes, including neurotransmission and antimicrobial and antitumoral activities. Nitric oxide is synthesized from L-arginine by nitric oxide synthases. Variations in this gene are associated with susceptibility to coronary spasm. Multiple transcript variants encoding different isoforms

have been found for this gene. [provided by RefSeq, May 2009],



Western Blot analysis of 293 cells using Phospho-NOS3 (T494) Polyclonal Antibody diluted at 1:1000




Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using eNOS (Phospho-Thr494) Antibody





Explore. Bioreagents.



Western blot analysis of lysates from Jurkat cells, using eNOS (Phospho-Thr494) Antibody. The lane on the right is blocked with the phospho peptide.