



Histamine H4 Receptor rabbit pAb

Cat#: orb769889 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Histamine H4 Receptor rabbit pAb

Host species Rabbit

Applications WB;IF;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA:

1/5000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human HRH4. AA range:221-270

Specificity Histamine H4 Receptor Polyclonal Antibody detects endogenous levels of

Histamine H4 Receptor protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Histamine H4 receptor

Gene Name HRH4

Cellular localization Cell membrane; Multi-pass membrane protein.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





1 mg/ml Concentration

Observed band 45kD


Human Gene ID 59340

Human Swiss-Prot Number Q9H3N8


HRH4; GPCR105; Histamine H4 receptor; H4R; HH4R; AXOR35; Gprotein coupled receptor 105; GPRv53; Pfi-013; SP9144 **Alternative Names**

Background Histamine is a ubiquitous messenger molecule released from mast cells, enterochromaffin-like cells, and neurons. Its various actions are mediated by

a family of histamine receptors, which are a subset of the G-protein coupled receptor superfamily. This gene encodes a histamine receptor that is predominantly expressed in haematopoietic cells. The protein is thought to play a role in inflammation and allergy reponses. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, May 2009],



Western Blot analysis of COLO cells using Histamine H4 Receptor Polyclonal Antibody



Immunofluorescence analysis of LOVO cells, using HRH4 Antibody. The picture on the right is blocked with the synthesized peptide.



