



Tuberin (phospho Thr1462) rabbit pAb

Cat#: orb770324 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Tuberin (phospho Thr1462) rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000.

ELISA: 1/5000. Not yet tested in other applications.

Immunogen

The antiserum was produced against synthesized peptide derived from human Tuberin/TSC2 around the phosphorylation site of Thr1462. AA

range:1428-1477

Phospho-Tuberin (T1462) Polyclonal Antibody detects endogenous levels of **Specificity**

Tuberin protein only when phosphorylated at T1462.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Store at -20°C. Avoid repeated freeze-thaw cycles. **Storage**

Protein Name Tuberin

Gene Name TSC2

Cellular localization Cytoplasm. Membrane; Peripheral membrane protein. At steady state found

in association with membranes.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Polyclonal **Clonality**





Explore. Bioreagents.

Concentration 1 mg/ml

Observed band 200kD


Human Gene ID 7249

Human Swiss-Prot Number P49815

Alternative Names TSC2; TSC4; Tuberin; Tuberous sclerosis 2 protein


Background

Mutations in this gene lead to tuberous sclerosis complex. Its gene product is believed to be a tumor suppressor and is able to stimulate specific GTPases. The protein associates with hamartin in a cytosolic complex, possibly acting as a chaperone for hamartin. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008],



p-Tuberin (T1462)


Western blot analysis of 293 using p-Tuberin (T1462) antibody.



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Tuberin/TSC2 (Phospho-Thr1462) Antibody







Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using Tuberin/TSC2 (Phospho-Thr1462) Antibody. The picture on the right is blocked with the phospho peptide.