



Vinculin (phospho Tyr821) rabbit pAb

Cat#: orb770365 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Vinculin (phospho Tyr821) rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000.

ELISA: 1/20000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human Vinculin around the phosphorylation site of Tyr821. AA range: 786-

Phospho-Vinculin (Y821) Polyclonal Antibody detects endogenous levels of **Specificity**

Vinculin protein only when phosphorylated at Y821.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Store at -20°C. Avoid repeated freeze-thaw cycles. **Storage**

Protein Name Vinculin

Gene Name **VCL**

Cellular localization

Cell membrane ; Peripheral membrane protein ; Cytoplasmic side . Cell junction, adherens junction . Cell junction, focal adhesion . Cytoplasm, cytoskeleton . Cell membrane, sarcolemma; Peripheral membrane protein; Cytoplasmic side . Recruitment to cell-cell junctions occurs in a myosin IIdependent manner. Interaction with CTNNB1 is necessary for its localization

to the cell-cell junctions. .





Explore. Bioreagents.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal

Concentration 1 mg/ml

Observed band


Human Gene ID 7414

Human Swiss-Prot Number P18206

Alternative Names VCL; Vinculin; Metavinculin

Background

Vinculin is a cytoskeletal protein associated with cell-cell and cell-matrix junctions, where it is thought to function as one of several interacting proteins involved in anchoring F-actin to the membrane. Defects in VCL are the cause of cardiomyopathy dilated type 1W. Dilated cardiomyopathy is a disorder characterized by ventricular dilation and impaired systolic function, resulting in congestive heart failure and arrhythmia. Multiple alternatively spliced transcript variants have been found for this gene, but the biological validity of some variants has not been determined. [provided by RefSeq, Jul 2008],




Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Vinculin (Phospho-Tyr821) Antibody







Immunofluorescence analysis of HepG2 cells, using Vinculin (Phospho-Tyr821) Antibody. The picture on the right is blocked with the phospho peptide.



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using Vinculin (Phospho-Tyr821) Antibody. The picture on the right is blocked with the phospho peptide.