



NLRX1 rabbit pAb

Cat#: orb771395 (Manual)

For research use only. Not intended for diagnostic use.

Product Name NLRX1 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions WB 1:500-2000, IHC-p 1:50-300, ELISA 1:10000-20000

Immunogen The antiserum was produced against synthesized peptide derived from the

Internal region of human NLRX1. AA range:581-630

Specificity NLRX1 Polyclonal Antibody detects endogenous levels of NLRX1

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name NLRX1

Gene Name NLRX1

Cellular localization Mitochondrion outer membrane.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Concentration 1 mg/ml

Observed band 108kD

Human Gene ID 79671

Human Swiss-Prot Number Q86UT6


Alternative Names NLR family member X1 (Caterpiller protein 11.3;CLR11.3;Nucleotide-

binding oligomerization domain protein 26; Nucleotide-binding oligomerization domain protein 5; Nucleotide-binding oligomerization


domain protein 9)

Background

The protein encoded by this gene is a member of the NLR family and localizes to the outer mitochondrial membrane. The encoded protein is a regulator of mitochondrial antivirus responses. Three transcript variants encoding the same protein have been found for this gene. [provided by RefSeq, Aug 2013],



Western Blot analysis of HEPG2 Hela cells using NLRX1 Polyclonal Antibody diluted at 1:1000. Secondary antibody(catalog#:RS0002) was diluted at 1:20000




Immunohistochemical analysis of paraffin-embedded human-heart, antibody was diluted at 1:200






Explore. Bioreagents.



Immunohistochemical analysis of paraffin-embedded human-heart, antibody was diluted at 1:200



Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:200