
Product Datasheet

Goat Anti-Rabbit IgG (H&L) Antibody (HRP) (orb1236939)

Description

Goat Anti-Rabbit IgG (H&L) Antibody

Species/Host	Goat
Reactivity	Rabbit
Conjugation	HRP
Tested Applications	ELISA, IHC, WB
Immunogen	Rabbit IgG - whole molecule
Preservatives	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2; 10 mg/mL Bovine Serum Albumin (rAlbumin); 0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!
Form/Appearance	Lyophilized
Storage	Peroxidase Conjugated Affinity Purified anti-Rabbit IgG can be stored vial at 4 °C prior to restoration. For extended storage aliquot contents and freeze at -20 °C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4 °C as an undiluted liquid. Dilute only prior to immediate use.
Note	For research use only
Application notes	Peroxidase Conjugated Affinity Purified anti-Rabbit IgG is suitable for immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidase-antibody based enzymatic assays requiring lot-to-lot consistency. Recommended dilutions are as follows, ELISA 1:20,000 - 1:100,000, Western Blot 1:2,000 - 1:10,000, Immunohistochemistry 1:1,000 - 1:5,000. (Optimal dilution should be determined by user).
Isotype	IgG
Dilution Range	Peroxidase Conjugated Affinity Purified anti-Rabbit IgG is suitable for immunoblotting (western or dot blot),