



Product Datasheet


VGF Antibody (orb1238617)



www.biorbyt.com

∢VGF

Western blot analysis of VGF expression ...



Immunofluorescence of VGF in Human Brain...

Descriptionnts. VGF Antibody

Species/Host Rabbit

Reactivity Human, Mouse, Rat

Conjugation Unconjugated

Tested ELISA, IF, IHC-P, WB

Applications

Immunogen VGF antibody was raised against a 17 amino acid

synthetic peptide near the carboxy terminus of the human VGF. The immunogen is located within the last

50 amino acids of VGF.

VGF Target

Preservatives VGF Antibody is supplied in PBS containing 0.02%

sodium azide.

Form/Appearance Liquid

Concentration 1 mg/mL

Storage VGF antibody can be stored at 4°C up to one year.

Antibodies should not be exposed to prolonged high

temperatures.

Note For research use only

Application notes VGF antibody can be used for detection of VGF by

> Western blot at 1 - 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 5 μg/mL. For immunofluorescence start at 20 µg/mL.Antibody validated: Western Blot in human samples; Immunohistochemistry in human samples and Immunofluorescence in human samples. All other

applications and species not yet tested.

Isotype IgG

Clonality Polyclonal

MW Predicted: 68 kDa Observed: 70 kDa

Uniprot ID 015240

NCBI NP 003369

Dilution Range VGF antibody can be used for detection of VGF by

> Western blot at 1 - 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 5 μ g/mL. For immunofluorescence start at 20 µg/mL.Antibody validated: Western Blot in human samples; Immunohistochemistry in human samples and

Biorbyt Ltd.

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North