



Product Datasheet

Noxa Antibody (orb1238793)

Description Noxa Antibody

Species/Host Rabbit

Reactivity Human, Mouse, Rat

Conjugation Unconjugated

Tested Applications ELISA, IF, IHC-P, WB

Immunogen Noxa antibody was raised against a synthetic peptide corresponding to 17 amino

acids at the amino terminus of mouse Noxa. The immunogen is located within the

first 50 amino acids of Noxa.

Target Pmaip1

Preservatives Noxa Antibody is supplied in PBS containing 0.02% sodium azide.

Form/Appearance Liquid

Concentration 1 mg/mL

Storage Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -

20°C in small aliquots to prevent freeze-thaw cycles.

Note For research use only

Application notes Noxa antibody can be used for detection of Noxa by Western blot at at 0.5 - 2

 μ g/mL. Antibody can also be used for immunohistochemistry starting at 1 μ g/mL. For immunofluorescence start at 10 μ g/mL.Antibody validated: Western Blot in

human samples; Immunohistochemistry in human samples and

Immunofluorescence in human samples. All other applications and species not

yet tested.

Isotype lgG

Clonality Polyclonal

Phone: <u>+1 (415) 906-5211</u> | Fax: <u>+1 (415) 651-8558</u>





Antibody Type

Primary Antibody

Uniprot ID


Q9JM54

NCBI


NP_067426

Expiration Date


12 months from date of receipt.



Western blot analysis of Noxa in human stomach tissue lysate with Noxa antibody at (A) 0.5, (B) 1 and (C) 2 μ g/mL.



Immunohistochemistry of NOXA in human stomach tissue with NOXA antibody at 2.5 $\mu g/ml$.



Immunofluorescence of Noxa in Human Stomach cells with Noxa antibody at 10 $\mu g/mL$.

Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: info@biorbyt.com Phone: +44 (0) 1223 859-353 | Fax: +1 (415) 651-8558


Biorbyt LLC.

68 TW Alexander Drive,
Durham, NC, 27713, United States
Email: info@biorbyt.com, support@biorbyt.com)

Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558







Immunohistochemistry of Noxa in human stomach tissue with Noxa antibody at 1 $\mu g/mL$.

Email: <u>info@biorbyt.com</u>, <u>support@biorbyt.com</u>
Phone: <u>+1 (415) 906-5211</u> | Fax: <u>+1 (415) 651-8558</u>