




Product Datasheet

C12orf5 Antibody (orb1238798)




www.biorbyt.com

A B C



Western blot analysis of TIGAR in EL4 ce...



Immunohistochemistry of TIGAR in human b...

Descriptionnts. C12orf5 Antibody

Species/Host Rabbit

Reactivity Human, Mouse, Rat

Conjugation Unconjugated

Tested ELISA. IHC-P. WB

Applications

Immunogen TIGAR antibody was raised against a 18 amino acid

> synthetic peptide from near the center of human TIGAR. The immunogen is located within amino acids

60 - 110 of TIGAR.

Target C12orf5

Preservatives TIGAR Antibody is supplied in PBS containing 0.02%

sodium azide.

Form/Appearance Liquid

Concentration 1 mg/mL

Storage TIGAR antibody can be stored at 4°C for three

months and -20°C, stable for up to one year. As with

all antibodies care should be taken to avoid

repeated freeze thaw cycles. Antibodies should not

be exposed to prolonged high temperatures.

Note For research use only

Application notes TIGAR antibody can be used for detection of TIGAR

> by Western blot at 0.5 - 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 2.5 μg/mL. Antibody validated: Western Blot in mouse samples and Immunohistochemistry in human samples. All other applications and species not yet

tested.

Isotype IgG

Clonality Polyclonal

Uniprot ID Q9NQ88

NCBI NP 065108

Dilution Range TIGAR antibody can be used for detection of TIGAR

> by Western blot at 0.5 - 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 2.5 μg/mL. Antibody validated: Western Blot in mouse samples and Immunohistochemistry in human samples. All other applications and species not yet

tested.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom