



## **Product Datasheet**

**TNFRSF13B Antibody (orb1238846)** 



Descriptionnts.

**Applications** 

## www.biorbyt.com

TNFRSF13B Antibody

Species/Host Rabbit

Reactivity Human

**Conjugation** Unconjugated

Tested ELISA, ICC, WB

Immunogen TACI antibody was raised against a synthetic

peptide mapping at the amino terminus of human TACI.The immunogen is located within the first 50

amino acids of TACI.

Target TNFRSF13B

**Preservatives** TACI Antibody is supplied in PBS containing 0.02%

sodium azide.

Form/Appearance Liquid

Concentration 1 mg/ml

**Storage** TACI antibody can be stored at 4°C for three

months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

**Note** For research use only

**Application notes** TACI polyclonal antibody can be used for detection

of TACI by Western blot at 5  $\mu$ g/mL. Antibody can also be used for immunocytochemistry starting at 2  $\mu$ g/mL. Antibody validated: Western Blot in human samples and Immunocytochemistry in human samples. All other applications and species not yet

tested.

**Isotype** IgG

**Clonality** Polyclonal


Uniprot ID 014836

NCBI NP 036584

**Dilution Range** TACI polyclonal antibody can be used for detection

of TACI by Western blot at 5  $\mu$ g/mL. Antibody can also be used for immunocytochemistry starting at 2  $\mu$ g/mL. Antibody validated: Western Blot in human samples and Immunocytochemistry in human samples. All other applications and species not yet

tested.



Western blot analysis of TACI in K562 (A...



Immunocytochemistry of TACI in K562 cell...