


Product Datasheet

OCIAD2 Antibody (orb1239324)

| | |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description | OCIAD2 Antibody |
| Species/Host | Rabbit |
| Reactivity | Human |
| Conjugation | Unconjugated |
| Tested Applications | ELISA, IF, WB |
| Immunogen | OCIAD2 antibody was raised against an 18 amino acid synthetic peptide from near the carboxy terminus of human OCIAD2. The immunogen is located within the last 50 amino acids of OCIAD2. |
| Target | OCIAD2 |
| Preservatives | OCIAD2 Antibody is supplied in PBS containing 0.02% sodium azide. |
| Form/Appearance | Liquid |
| Concentration | 1 mg/mL |
| Storage | OCIAD2 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures. |
| Note | For research use only |
| Application notes | OCIAD2 antibody can be used for detection of OCIAD2 by Western blot at 0.5 - 1 µg/mL. Antibody can also be used for immunofluorescence starting at 5 µg/mL. For immunofluorescence start at 5 µg/mL. Antibody validated: Western Blot in human samples and Immunofluorescence in human samples. All other applications and species not yet tested. |
| Isotype | IgG |
| Clonality | Polyclonal |
| Uniprot ID | Q56VL3 |
| NCBI | NP_001014446 |
| Dilution Range | OCIAD2 antibody can be used for detection of OCIAD2 by Western blot at 0.5 - 1 µg/mL. Antibody can also be used for immunofluorescence starting at 5 µg/mL. For immunofluorescence start at 5 µg/mL. Antibody validated: Western Blot in human samples and Immunofluorescence in human samples. All other applications and species not yet tested. |



Western blot analysis of OCIAD2 in A549 ...



Immunofluorescence of OCIAD2 in A549 cel...