




Product Datasheet

NDP Antibody (orb1239347)



www.biorbyt.com

A B



Western blot analysis of Norrin in Jurka...



Immunocytochemistry of Norrin in Jurkat ...

Descriptionnts. NDP Antibody

Species/Host Rabbit

Reactivity Human

Conjugation Unconjugated

Tested ELISA, ICC, WB

Applications

Immunogen Norrin antibody was raised against an 18 amino acid

synthetic peptide from near the amino terminus of human Norrin.The immunogen is located within the

first 50 amino acids of Norrin.

Target NDP

Preservatives Norrin Antibody is supplied in PBS containing 0.02%

sodium azide.

Form/Appearance Liquid

Concentration 1 mg/mL

Storage Norrin antibody can be stored at 4°C for three

months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed

to prolonged high temperatures.

Note For research use only

Application notes Norrin antibody can be used for detection of Norrin by

Western blot at 1 - $2~\mu g/mL$. Antibody can also be used for immunocytochemistry starting at 5 $\mu g/mL$. Antibody validated: Western Blot in human samples and Immunocytochemistry in human samples. All other applications and species not yet tested.

Isotype IgG

Clonality Polyclonal

Uniprot ID Q00604

NCBI NP_000257

Dilution Range Norrin antibody can be used for detection of Norrin by

Western blot at 1 - $2 \mu g/mL$. Antibody can also be used for immunocytochemistry starting at $5 \mu g/mL$. Antibody validated: Western Blot in human samples and Immunocytochemistry in human samples. All other applications and species not yet tested.

Expiration Date 12 months from date of receipt.

Carolina

27709. United States

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North