



Product Datasheet

HAAO Antibody (orb1239722)



Descriptionnts.

www.biorbyt.com

HAAO Antibody

Species/Host Rabbit

Reactivity Human, Mouse, Rat

Conjugation Unconjugated

Tested ELISA, IF, IHC-P, WB

Applications

Immunogen HAAO antibody was raised against a 17 amino acid

synthetic peptide near the amino terminus of human HAAO.The immunogen is located within amino acids

30 - 80 of HAAO.

Target HAAO

Preservatives HAAO Antibody is supplied in PBS containing 0.02%

sodium azide.

Form/Appearance Liquid

Concentration 1 mg/mL

Storage HAAO antibody can be stored at 4°C for three months

and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed

to prolonged high temperatures.

Note For research use only

Application notes HAAO antibody can be used for detection of HAAO by

Western blot at 1 μ g/mL. Antibody can also be used for immunohistochemistry starting at 2.5 μ g/mL. For immunofluorescence start at 20 μ g/mL.Antibody validated: Western Blot in mouse samples; Immunohistochemistry in human samples and Immunofluorescence in human samples. All other

applications and species not yet tested.

Isotype lgG

Clonality Polyclonal

Uniprot ID P46952


NCBI NP 036337

Dilution Range HAAO antibody can be used for detection of HAAO by

Western blot at 1 μ g/mL. Antibody can also be used for immunohistochemistry starting at 2.5 μ g/mL. For immunofluorescence start at 20 μ g/mL.Antibody validated: Western Blot in mouse samples; Immunohistochemistry in human samples and

34- **→ → HAAO** 26-

Western blot analysis of HAAO in Mouse I...



Immunohistochemistry of HAAO in human li...



Immunofluorescence of HAAO in Human Live...

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North