
Product Datasheet

XIAP Antibody (orb1240298)

Description

XIAP Antibody

Species/Host

Rabbit

Reactivity

Human, Mouse

Conjugation

Unconjugated

Tested Applications

ELISA, IF, IHC-P, WB

Immunogen

XIAP antibody was raised against a synthetic peptide corresponding to 13 amino acids at the C-terminus of human XIAP. The immunogen is located within amino acids 420 - 470 of XIAP.

Target

XIAP

Preservatives

XIAP Antibody is supplied in PBS containing 0.02% sodium azide.

Form/Appearance

Liquid

Concentration

1 mg/mL

Storage

XIAP antibody can be stored at 4°C up to one year. Antibodies should not be exposed to prolonged high temperatures.

Note

For research use only

Application notes

XIAP antibody can be used for the detection of XIAP by Western blot at 0.5 to 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 2 µg/mL. For immunofluorescence start at 10 µg/mL. Antibody validated: Western Blot in human samples; Immunohistochemistry in human and mouse samples and Immunofluorescence in human and mouse samples. All other applications and species not yet tested.

Isotype

IgG

Clonality


Polyclonal

MW


Predicted: 55 kDa Observed: 53 kDa

Uniprot ID
[P98170](#)
NCBI
[NP_001158](#)
Dilution Range


XIAP antibody can be used for the detection of XIAP by Western blot at 0.5 to 2 µg/mL. Antibody can also be used for immunohistochemistry starting at 2 µg/mL. For immunofluorescence start at 10 µg/mL. Antibody validated: Western Blot in human samples; Immunohistochemistry in human and mouse samples



Western blot analysis of XIAP in human k...



Immunohistochemical staining of human ki...



Immunofluorescence of XIAP in Human Kidn...