


---

## Product Datasheet

### SCRN2 Antibody (orb1244225)

| Description                | SCRN2 Antibody   |  |
|----------------------------|--|---|
| <b>Species/Host</b>        | Rabbit   |   |
| <b>Reactivity</b>          | Human, Mouse, Rat  |   |
| <b>Conjugation</b>         | Unconjugated   |   |
| <b>Tested Applications</b> | ELISA, WB  | Antibody used in WB on Human HepG2 at 0....   |
| <b>Immunogen</b>           | Antibody produced in rabbits immunized with a synthetic peptide corresponding a region of human SCR2.  |   |
| <b>Target</b>              | SCR2   |   |
| <b>Preservatives</b>       | Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.  |   |
| <b>Form/Appearance</b>     | Liquid   |   |
| <b>Concentration</b>       | batch dependent  |   |
| <b>Storage</b>             | For short periods of storage (days) store at 4°C. For longer periods of storage, store SCR2 antibody at -20°C. As with any antibody avoid repeat freeze-thaw cycles.   |   |
| <b>Note</b>                | For research use only  |   |
| <b>Application notes</b>   | SCR2 antibody can be used for detection of SCR2 by ELISA at 1:1562500. SCR2 antibody can be used for detection of SCR2 by western blot at 1 µg/mL, and HRP conjugated secondary antibody should be diluted 1:50,000 - 100,000. |   |
| <b>Clonality</b>           | Polyclonal   |   |
| <b>MW</b>                  | 47 kDa   |   |
| <b>Uniprot ID</b>          | <a href="#">Q96FV2</a>   |   |
| <b>NCBI</b>                | <a href="#">NP_612364</a>  |   |
| <b>Dilution Range</b>      | SCR2 antibody can be used for detection of SCR2 by ELISA at 1:1562500. SCR2 antibody can be used for detection of SCR2 by western blot at 1 µg/mL, and HRP conjugated secondary antibody should be diluted 1:50,000 - 100,000. |   |
| <b>Expiration Date</b>     | 12 months from date of receipt.  |   |