



















Product Datasheet

VPS16 Antibody (orb1246407)

| Description | VPS16 Antibody |  |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Species/Host | Goat |  |
| Reactivity | Human, Mouse, Rat |  |
| Conjugation | Unconjugated |  |
| Tested Applications | ELISA, WB |  |
| Immunogen | The immunogen for this antibody is: C-KESQKADEYLREIQ |  |
| Target | VPS16 |  |
| Preservatives | Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH 7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing. |  |
| Form/Appearance | Liquid |  |
| Concentration | 500 ug/mL |  |
| Storage | Aliquot and store at -20°C. Minimize freezing and thawing. |  |
| Note | For research use only |  |
| Application notes | Peptide ELISA: antibody detection limit dilution 1:128000.Western Blot:Approx 100kDa band observed in lysates of cell lines HepG2, HeLa and Jurkat and in lysates of Mouse Spleen and Rat Thymus (calculated MW of 94.7kDa according to NP_072097.2). Recommended concentration: 0.1-0.3ug/ml. |  |
| Clonality | Polyclonal |  |
| MW | Approx 100kDa |  |
| Uniprot ID | Q9H269 |  |
| NCBI | NP_072097.2 |  |
| Dilution Range | Peptide ELISA: antibody detection limit dilution 1:128000.Western Blot:Approx 100kDa band observed in lysates of cell lines HepG2, HeLa and Jurkat and in lysates of Mouse Spleen and Rat Thymus (calculated MW of 94.7kDa according to NP_072097.2). Recommended concentration: 0.1-0.3ug/ml. |  |
| Expiration Date | 12 months from date of receipt. |  |