



---

## Product Datasheet

### RNF34 Antibody (orb1247027)

<b>Description</b>	RNF34 Antibody	
<b>Species/Host</b>	Goat	
<b>Reactivity</b>	Human	
<b>Conjugation</b>	Unconjugated	
<b>Tested Applications</b>	ELISA, IHC	
<b>Immunogen</b>	The immunogen for this antibody is: KAGATSMWASCC	
<b>Target</b>	RNF34	
<b>Preservatives</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH 7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.	
<b>Form/Appearance</b>	Liquid	
<b>Concentration</b>	500 ug/mL	
<b>Storage</b>	Aliquot and store at -20°C. Minimize freezing and thawing.	
<b>Note</b>	For research use only	orb1247027 (4 ug/ml) staining of paraffi...
<b>Application notes</b>	<p>Peptide ELISA: antibody detection limit dilution 1:32000. Western Blot: No signal obtained yet but low background observed in Human Testis lysate at up to 1ug/ml. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Immunohistochemistry: In paraffin embedded Human Kidney shows cytoplasm staining in select DCT. Recommended concentration, 4-8ug/ml.</p>	
<b>Clonality</b>	Polyclonal	
<b>Uniprot ID</b>	<a href="#">Q969K3</a>	
<b>NCBI</b>	<a href="#">NP_079402.2</a> , <a href="#">NP_919247.1</a>	
<b>Dilution Range</b>	<p>Peptide ELISA: antibody detection limit dilution 1:32000. Western Blot: No signal obtained yet but low background observed in Human Testis lysate at up to 1ug/ml. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Immunohistochemistry: In paraffin embedded Human Kidney shows cytoplasm staining in select DCT. Recommended concentration, 4-8ug/ml.</p>	
<b>Expiration Date</b>	12 months from date of receipt.	