





---

## Product Datasheet

### GOLM1 Antibody (orb1247433)

<b>Description</b>	GOLM1 Antibody	
<b>Species/Host</b>	Goat	
<b>Reactivity</b>	Human	
<b>Conjugation</b>	Unconjugated	
<b>Tested Applications</b>	ELISA, IHC	orb1247433 (3.75 ug/ml) staining of para...
<b>Immunogen</b>	The immunogen for this antibody is: C-NLLDQREKRNHTL	
<b>Target</b>	GOLM1	
<b>Preservatives</b>	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH 7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.	
<b>Form/Appearance</b>	Liquid	
<b>Concentration</b>	500 ug/mL	
<b>Storage</b>	Aliquot and store at -20°C. Minimize freezing and thawing.	orb1247433 (3.75 ug/ml) staining of para...
<b>Note</b>	For research use only	
<b>Application notes</b>	Peptide ELISA: antibody detection limit dilution 1:16000.Immunohistochemistry:In paraffin embedded Human Prostate shows luminal staining of secretory cells in the glands. Recommended concentration: 3-6ug/ml. Paraffin embedded Human Uterus and Small Intestine. Recommended concentration: 3.75ug/ml.	
<b>Clonality</b>	Polyclonal	
<b>Uniprot ID</b>	<a href="#">Q8NBJ4</a>	
<b>NCBI</b>	<a href="#">NP_808800.1</a> , <a href="#">NP_057632.2</a>	orb1247433 (3.75 ug/ml) staining of para...
<b>Dilution Range</b>	Peptide ELISA: antibody detection limit dilution 1:16000.Immunohistochemistry:In paraffin embedded Human Prostate shows luminal staining of secretory cells in the glands. Recommended concentration: 3-6ug/ml. Paraffin embedded Human Uterus and Small Intestine. Recommended concentration: 3.75ug/ml.	
<b>Expiration Date</b>	12 months from date of receipt.	