



Product Datasheet

CARD11 Antibody (orb1247706)



www.biorbyt.com

Description nts. CARD11 Antibody

Species/Host Goat

Reactivity Human

Conjugation Unconjugated

Tested ELISA, IHC, WB

Applications

Immunogen The immunogen for this antibody is: C-QRKTIWVDEDQL

Target CARD11

Preservatives Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH

7.3 with 0.5% bovine serum albumin. Aliquot and store at -

20°C. Minimize freezing and thawing.

Form/Appearance Liquid

Concentration 500 ug/mL

Storage Aliquot and store at -20°C. Minimize freezing and thawing.

Note For research use only

Application notes Peptide ELISA: antibody detection limit dilution

1:32000.Western Blot:Approx 150+65kDa bands observed in

lysates of cell line Jurkat (calculated MW of 133kDa

according to NP_115791.2). Recommended concentration: 1-3ug/ml. An additional band of unknown identity was also consistently observed at 60kDa. This band was successfully

blocked by incubation with the immunising

peptide.Immunohistochemistry:In paraffin embedded Human

Spleen shows nuclear staining. Recommended

concentration: 2-5ug/ml.

Clonality Polyclonal

Uniprot ID Q9BXL7

NCBI NP_115791.3

Dilution Range Peptide ELISA: antibody detection limit dilution

1:32000.Western Blot:Approx 150+65kDa bands observed in

lysates of cell line Jurkat (calculated MW of 133kDa

according to NP_115791.2). Recommended concentration: 1-3ug/ml. An additional band of unknown identity was also consistently observed at 60kDa. This band was successfully


blocked by incubation with the immunising

peptide.Immunohistochemistry:In paraffin embedded Human

Spleen shows nuclear staining. Recommended


concentration: 2-5ug/ml.

Expiration Date 12 months from date of receipt.



50kDa 37kDa

25kDa 20kDa



orb1247706 (2 ug/ml) staining of paraffi...

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North