

---

## Product Datasheet

### APOBEC3C Antibody (orb1248963)

**Description**

APOBEC3C Antibody


**Species/Host**

Goat

**Reactivity**


Human

**Conjugation**

Unconjugated

**Tested**

ELISA, FC, WB

**Applications**


orb1248963  
(0.5 ug/ml)  
staining of  
Daudi...

**Immunogen**

The immunogen for this antibody is: C-RLKRRRLRESLQ

**Target**

APOBEC3C

**Preservatives**

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH 7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.

**Form/Appearance**

Liquid

**Concentration**

500 ug/mL

**Storage**


Aliquot and store at -20°C. Minimize freezing and thawing.

**Note**

For research use only

**Application notes**

Peptide ELISA: antibody detection limit dilution 1:1000. Western Blot: Approx. 22kDa band observed in lysates of cell line Daudi (calculated MW of 22.8kDa according to NP\_055323.2). Recommended concentration: 0.5-1.5ug/ml. Primary incubation 1 hour at room temperature. Flow Cytometry: Flow cytometric analysis of HeLa cells. Recommended concentration: 10ug/ml.



orb1248963  
Flow  
cytometric  
analysis of  
p...

**Clonality**

Polyclonal

**Uniprot ID**
[Q9NRW3](#)
**NCBI**
[NP\\_055323.2](#)
**Dilution Range**

Peptide ELISA: antibody detection limit dilution 1:1000. Western Blot: Approx. 22kDa band observed in lysates of cell line Daudi (calculated MW of 22.8kDa according to NP\_055323.2). Recommended concentration: 0.5-1.5ug/ml. Primary incubation 1 hour at room temperature. Flow Cytometry: Flow cytometric analysis of HeLa cells. Recommended concentration: 10ug/ml.

**Expiration Date**

12 months from date of receipt.