

Product Datasheet

CCL24 Antibody (orb1272261)

Description	CCL24 Antibody
Species/Host	Mouse
Reactivity	Human
Conjugation	Unconjugated
Tested Applications	ELISA, WB
Immunogen	The monoclonal antibody was produced in BALB/c X ICR F1 mice using recombinant human Eotaxin-2 as the immunizing antigen.
Target	CCL24
Form/Appearance	Lyophilized
Concentration	batch dependent
Storage	Eotaxin-2 lyophilized antibody is stable at room temperature for at least one month and for greater than a year when kept at -20°C. Reconstitute in sterile water to a concentration of 0.1 - 1.0 mg/mL. The antibody is stable for at least six weeks at 2-4°C when reconstituted.
Note	For research use only
Application notes	ELISA: In a sandwich ELISA (assuming 100 µL/well), a concentration of 2.0-4.0 µg/mL of this antibody will detect at least 80.0 pg/well of recombinant human Eotaxin-2 when used with our biotinylated antigen affinity purified anti-human Eotaxin-2 (XP-5126Bt) as the detection antibody at a concentration of approximately 1.0-2.0 µg/mL. Western blot: To detect hEotaxin-2 by Western Blot analysis this antibody can be used at a concentration of 0.25-0.50 µg/mL. Used in conjunction with compatible secondary reagents the detection limit for recombinant hEotaxin-2 is 0.5-1.0 ng/lane, under non-reducing conditions.
Clonality	Monoclonal
Uniprot ID	O00175
NCBI	O00175
Dilution Range	ELISA: In a sandwich ELISA (assuming 100 µL/well), a concentration of 2.0-4.0 µg/mL of this antibody will detect at least 80.0 pg/well of recombinant human Eotaxin-2 when used with our biotinylated antigen affinity purified anti-human Eotaxin-2 (XP-5126Bt) as the detection antibody at a concentration of approximately 1.0-2.0 µg/mL. Western blot: To detect hEotaxin-2 by Western Blot analysis this antibody can be used at a concentration of



To a sandwich ELISA (assuming 100ul/well...



To detect hEotaxin-2 by Western Blot ana...



To detect hEotaxin-2 by Western Blot ana...