

Product Datasheet

IL13 Antibody (orb1272489)



www.biorbyt.com

Descriptionnts. IL13 Antibody

Species/Host Rabbit

Reactivity Human

Conjugation Unconjugated

Tested ELISA, NeA, WB

Applications

Immunogen Produced from sera of rabbits pre-immunized with highly

pure (>98%) recombinant hIL-13 (human Interleukin-13).

Target IL13

Form/Appearance Lyophilized

Concentration batch dependent

Storage IL-13 antibody is stable for at least 2 years from date of

receipt at -20°C. The reconstituted antibody is stable for at least two weeks at 2-8°C. Frozen aliquots are stable for at least 6 months when stored at -20°C. Avoid repeated

freeze-thaw cycles.

Note For research use only

Clonality Polyclonal

Uniprot ID P35225

NCBI P35225

Dilution Range Neutralization: To yield one-half maximal inhibition [ND50]


of the biological activity of hIL-13 (2.0 ng/mL), a concentration of 0.12 - 0.15 $\mu g/mL$ of this antibody is required. ELISA:To detect hIL-13 by direct ELISA (using 100 $\mu L/well$ antibody solution) a concentration of at least 0.5 $\mu g/mL$ of this antibody is required. This antigen affinity purified antibody, in conjunction with compatible

secondary reagents, allows the detection of 0.2 - 0.4 ng/well of recombinant hIL-13. SandwichTo detect hIL-13 by sandwich ELISA (using 100 $\mu\text{L/well}$ antibody solution) a concentration of 0.5 - 2.0 $\mu\text{g/mL}$ of this antibody is required. This antigen affinity purified antibody, in conjunction with our Biotinylated Anti-Human IL-13as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant hIL-13.Western Blot:To detect hIL-13 by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 $\mu\text{g/mL}$. Used in conjunction

with compatible secondary reagents the detection limit for recombinant hIL-13 is 1.5 - 3.0 ng/lane, under either

reducing or non-reducing conditions.

Expiration Date 12 months from date of receipt.



To detect hIL-13 by sandwich ELISA (usin...



To detect hIL-13 by Western Blot analysi...



To detect hIL-13 by Western Blot analysi...

Biorbyt Ltd.