



Product Datasheet

CXCL14 Antibody (orb1272737)



www.biorbyt.com

Descriptionnts.

CXCL14 Antibody

Species/Host

Rabbit

Reactivity

Human

Conjugation

Unconjugated

Tested

EL

Applications

ELISA, WB

Immunogen

Produced from sera of rabbits pre-immunized with highly pure (>98%) recombinant hBRAK. Human BRAK specific antibody was purified by affinity chromatography employing immobilized hBRAK matrix.

Target

CXCL14

Form/Appearance

Lyophilized

Concentration

batch dependent

Storage

BRAK antibody is stable for at least 2 years from date of receipt at -20°C. The reconstituted antibody is stable for at least two weeks at 2-8°C. Frozen aliquots are stable for at least 6 months when stored at -20°C. Avoid repeated freeze-thaw cycles.

Note

For research use only

Application notes

ELISA:Indirect:To detect hBRAK by indirect ELISA (using 100 μ L/well antibody solution) a concentration of 0.5 - 2.0 $\mu \text{g}/\text{mL}$ of this antibody is required. This antigen affinity purified antibody, in conjunction with compatible secondary reagents, allows the detection of at least 0.2 -0.4 ng/well of recombinant hBRAK.SandwichTo detect hBRAK by sandwich ELISA (using 100 μ L/well antibody solution) a concentration of 0.5 - 2.0 μg/mL of this antibody is required. This antigen affinity purified antibody, in conjunction with our biotinylated Anti-Human BRAK as a detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant hBRAK. Western Blot:To detect hBRAK by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 μg/mL. Used in conjunction with compatible secondary reagents the detection limit for recombinant hBRAK is 1.5 - 3.0 ng/lane, under either reducing or non-reducing

conditions.

Clonality

Polyclonal

Uniprot ID

095715

NCBI

Biorbyt Ltd.

095715

Dilution Range

ELISA:Indirect:To detect hBRAK by indirect ELISA (using


7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom

Email: info@biorbyt.com | Phone: +44 (0) 1223 859-353 | Fax: +44 (0)1223 280 240

Biorbyt LLC.

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North Carolina
br>27709. United States

Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558



To detect hBRAK by sandwich ELISA (using...



To detect hBRAK by Western Blot analysis...



To detect hBRAK by Western Blot analysis...