

## Product Datasheet

### TIGIT Antibody (orb1274204)

**Description**

TIGIT Antibody

**Species/Host**

Camelus

**Reactivity**

Human

**Conjugation**

Unconjugated

**Tested Applications**

ELISA, FC, ICC, IF, IHC-P

**Immunogen**

TIGIT antibody was raised against a recombinant protein corresponding to amino acids 22-141 of human TIGIT.

**Target**

TIGIT

**Preservatives**

TIGIT Antibody is supplied in PBS.

**Form/Appearance**

Liquid

**Concentration**

1 mg/mL

**Storage**

TIGIT antibody should be stored in working aliquots at -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

**Note**

For research use only

**Application notes**

TIGIT antibody can be used for ELISA starting at 0.1 µg/mL immunohistochemistry starting at 10 µg/mL. For immunofluorescence start at 20 µg/mL. For flow cytometry at 1 µg/ml. For immunocytochemistry at 10µg/mL.

**Isotype**

sdAb

**Clonality**


Recombinant

**Uniprot ID**
[Q495A1](#)
**NCBI**
[NP\\_776160](#)
**Dilution Range**


TIGIT antibody can be used for ELISA starting at 0.1 µg/mL immunohistochemistry starting at 10 µg/mL. For immunofluorescence start at 20 µg/mL. For flow cytometry at 1 µg/ml. For immunocytochemistry at 10µg/mL.

**Expiration Date**


12 months from date of receipt.



Immunocytochemistry of TIGIT in transfec...



Immunofluorescence of TIGIT in transfect...



Immunofluorescence of TIGIT in human spl...