



Product Datasheet

CHGA Antibody (orb1274273)

Description	CHGA Antibody	
Species/Host	Rabbit	
Reactivity	Human	
Conjugation	Unconjugated	
Tested Applications	FC, IF, IHC-P	IHC analysis of FFPE human parathyroid gland...
Immunogen	Recombinant human protein was used as the immunogen for the recombinant Chromogranin A antibody.	
Target	CHGA	
Preservatives	PBS with 0.1 mg/ml rAlbumin and 0.05% sodium azide	
Form/Appearance	Liquid	
Concentration	0.2 mg/mL	
Storage	Aliquot and Store at 2-8°C. Avoid freeze-thaw cycles.	
Note	For research use only	IHC analysis of FFPE human pancreas stain...
Application notes	Flow Cytometry: 0.5-1 ug/million cells in 0.1ml Immunofluorescence: 1-2 ug/ml Immunohistochemistry (FFPE): 0.25-0.5 ug/ml for 30 min at RT Prediluted IHC only format: incubate for 30 min at RT (1) Optimal dilution of the recombinant Chromogranin A antibody should be determined by the researcher.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.	
Isotype	IgG, kappa	
Clonality	Recombinant	
Uniprot ID	P10645	
Dilution Range	Flow Cytometry: 0.5-1 ug/million cells in 0.1ml Immunofluorescence: 1-2 ug/ml Immunohistochemistry (FFPE): 0.25-0.5 ug/ml for 30 min at RT Prediluted IHC only format: incubate for 30 min at RT (1) Optimal dilution of the recombinant Chromogranin A antibody should be determined by the researcher.1. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.	
Expiration Date	12 months from date of receipt.	