
Product Datasheet

Vinculin (Marker of Age-related Macular Degeneration) antibody (orb1410158)

Description

Rabbit monoclonal antibody to

Macular Degeneration)

Species/Host

Rabbit

Reactivity

Human, Mouse

Conjugation

Unconjugated

Tested Applications

IHC-P, WB

Immunogen

Recombinant fragment (around aa 174-322) of human Vinculin (VCL) protein (exact sequence is proprietary)

Target

VCL

Preservatives

200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% rAlbumin & 0.05% azide. Also available WITHOUT rAlbumin & azide at 1.0mg/ml.

Concentration

Purified Ab with BSA and Azide at 200ug/ml

Storage

Antibody with azide - store at 2 to 8 °C. Antibody without azide - store at -20 to -80 °C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

Note

For research use only

Isotype

Rabbit / IgG

Clonality

Monoclonal

MW

117kDa

Uniprot ID
P18206
Entrez
7414
Dilution Range

 Western Blot (1-2ug/ml);
 ,Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95 °C followed by cooling at RT for