



## **Product Datasheet**

## Human IGF-BP3 (rHuIGF-BP3) (orb1494967)

Description IGF-BP3 is a 30 kDa cysteine-rich secreted protein. It is the major IGF

binding protein present in t...

**Endotoxins** Less than 1EU/mg of rHuIGF-BP3 as determined by LAL method.

**Preservatives** Lyophilized from a 0.2mm filtered concentrated solution in PBS, pH 7.4.

Form/Appearance Sterile Filtered White lyophilized (freeze-dried) powder.

Storage This lyophilized preparation is stable at 2-8°C, but should be kept at -

> 20°C for long term storage, preferably desiccated. Upon reconstitution, the preparation is stable for up to one week at 2-8°C. For maximal stability, apportion the reconstituted preparation into working aliquots and store at -20°C to -70°C. Avoid repeated freeze/thaw cycles.

Note For research use only

**Application notes** We recommend that this vial be briefly centrifuged prior to opening to

> bring the contents to the bottom. Reconstitute in sterile distilled water or agueous buffer containing 0.1% BSA to a concentration of 0.1-1.0 mg/mL. Stock solutions should be apportioned into working aliquots and stored at -20°C. Further dilutions should be made in appropriate

buffered solutions.

GASSGGLGPVVRCEPCDARALAQCAPPPAVCAELVREPGCGCCLTCALSEGQP **Protein Sequence** 

> CGIYTERCGSGLRCQPSPDEARPLQALLDGRGLCVNASAVSRLRAYLLPAPPAPG NASESEEDRSAGEVESPSVSSTHRVSDPKFHPLHSKIIIIKKGHAKDSQRYKVDYE SOSTDTONFSSESKRETEYGPCRREMEDTLNHLKFLNVLSPRGVHIPNCDKKGF YKKKQCRPSKGRKRGFCWCVDKYGQPLPGYTTKGKEDVHCYS MQSK

Source Escherichia coli.

MW 28.8 kDa protein consisting of 264 amino acid residues..

**Expiration Date** 6 months from date of receipt.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom