



## Product Datasheet

### IL-17A Antibody (PE) (orb1729626)


<b>Description</b>	Interleukin 17A (IL-17A) is a proinflammatory cytokine produced by activated T cells. IL-17A-mediate...
<b>Reactivity</b>	Human
<b>Conjugation</b>	PE
<b>Tested Applications</b>	FC
<b>Immunogen</b>	mammalian-derived human IL-17-IgG fusion protein, boost with recombinant human IL-17A
<b>Target</b>	IL-17A
<b>Preservatives</b>	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
<b>Storage</b>	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.
<b>Note</b>	For research use only
<b>Application notes</b>	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µl reagent / 100 µl of whole blood or 10 <sup>6</sup> cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests. Intracellular staining.
<b>Isotype</b>	Mouse IgG1 kappa
<b>Clonality</b>	Monoclonal
<b>Uniprot ID</b>	<a href="#">Q16552</a>
<b>Entrez</b>	<a href="#">3605</a>
<b>Expiration Date</b>	12 months from date of receipt.



Flow cytometry multicolor surface staini...



Separation of human CD17A positive CD3 p...



Flow cytometry intracellular staining pa...