

Product Datasheet

GRP78 Antibody: APC (orb181918)

Description	Mouse monoclonal antibody against GRP78, conjugated to APC.
Species/Host	Mouse
Reactivity	Human, Mouse, Rat
Conjugation	APC
Tested Applications	ICC, IF, IHC
Immunogen	Full-length recombinant rat GRP78
Target	GRP78
Preservatives	95.64mM Phosphate, 2.48mM MES and 2mM EDTA
Concentration	1 mg/ml
Storage	Conjugated antibodies should be stored according to the product label
Note	For research use only
Application notes	1 µg/ml of SMC-210 was sufficient for detection of GRP78 in 20 µg of HEK-293 lysate by colorimetric immunoblot analysis using Goat anti-mouse IgG:HRP as the secondary antibody.
Isotype	IgG1 Kappa
Clonality	Monoclonal
Clone Number	3C5-1A4
MW	78kDa
Uniprot ID	P06761
NCBI	NP_037215.1

Biorbyt Ltd.

7 Signet Court, Swann's Road,
Cambridge, CB5 8LA, United Kingdom
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\) 1223 859-353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)


Biorbyt LLC.

68 TW Alexander Drive,
Durham, NC, 27713, United States
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)9065211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)


Entrez 25617

Dilution Range WB (1:1000), ICC/IF (1:100)


Expiration Date 12 months from date of receipt.



Immunocytochemistry/Immunofluorescence analysis using Mouse Anti-GRP78 Monoclonal Antibody, Clone 3C5-1A4. Tissue: Fibroblast cell line (NIH 3T3). Species: Mouse. Fixation: 4% Formaldehyde for 15 min at RT. Primary Antibody: Mouse Anti-GRP78 Monoclonal Antibody at 1:100 for 60 min at RT. Secondary Antibody: Goat Anti-Mouse ATTO 488 at 1:100 for 60 min at RT. Counterstain: DAPI (blue) nuclear stain at 1:5000 for 5 min RT. Localization: Nucleus. Magnification: 60X.



Western Blot analysis of Human, Mouse, Rat NIH3T3, Rat Brain, and HEK-293 cell lysates showing detection of ~78 kDa GRP78 protein using Mouse Anti-GRP78 Monoclonal Antibody, Clone 3C5-1A4. Lane 1: MW ladder. Lane 2: Mouse NIH3T3. Lane 3: Rat Brain. Lane 4: Human HEK-293. Block: 5% milk + TBST for 1 hour at RT. Primary Antibody: Mouse Anti-GRP78 Monoclonal Antibody at 1:1000 for 1 hour at RT. Secondary Antibody: HRP Goat Anti-Mouse at 1:50 for 1 hour at RT. Color Development: TMB solution for 5 min at RT. Predicted/Observed Size: ~78 kDa.



ELISA analysis using Mouse Anti-GRP78 Monoclonal Antibody, Clone 3C5-1A4. Primary Antibody: Mouse Anti-GRP78 Monoclonal Antibody.

Biorbyt Ltd.

7 Signet Court, Swann's Road,
Cambridge, CB5 8LA, United Kingdom
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\) 1223 859-353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)

Biorbyt LLC.

68 TW Alexander Drive,
Durham, NC, 27713, United States
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)9065211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)