
Product Datasheet

Recombinant Human Receptor-type tyrosine-protein phosphatase delta (PTPRD), partial (orb1881824)

Description

Recombinant Human Receptor-type tyrosine-protein phosphatase delta

Preservatives	If the delivery form is liquid, the default storage buffer is Tris/PBS-based buffer, 5%-50% glycerol. If the delivery form is lyophilized powder, the buffer before lyophilization is Tris/PBS-based buffer, 6% Trehalose, pH 8.0.
Form/Appearance	Liquid or Lyophilized powder
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Tag	C-terminal 10xHis-tagged
Note	For research use only
Application notes	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.
Protein Sequence	ETPPRFTRTPVDQTVSGGVASFICQATGDPRPKIVWNKKGKKSQRFEVIEFD DGSGSVLRIQPLRTPRDEAIYECVASNNVGEISVSTRLLVLRDQIPRGFPTIDMG PQLKVVTRTRATMLCAASGNPDPEITWFKDFLPVDTSNNGRIKQLRSESIGGT PIRGALQIEQSEESDQKYEVCVATNSAGTRYSAPANLYVRELREVRVPPRFSSIPP TNHEIMPGGSVNITCVAVGSPMPYVKWMLGAEDLTPEDDMPIGRNVLELNDVR QSANYTCVAMSTLGVIEAIAQITVKALPKPPGTPVTESTATSITLTWDSGNPEPV SYYIIQHKPKNSEELYKEIDGVATTRYVAGLSPYSDYEFVAVVAVNNIGRGPPEP VLTQTSEQAPSSAPRDVQARMLSSSTILVQWKEPEEPNGQIQGYRVYYTMDPTQ HVNNWMKHNVADSQITTIGNLVQKTYSVKVLAFSTIGDGPLSSDIQVITQTGVP GQPLNFKAEPESSETSILLSWTPPRSDTIANVELVYKDGEGEQRITIEPGTSYRLQ GLKPNLSLYFRLAARSPQGLGASTAEISARTMQSKPSAPPQDISCTSPSSSILVS WQPPPVEKQNGIITEYSIKYTAVDGEDDKPHEILGIPSDTTKYLLEQLEKWTEYRIT VTAHTDVGGPESLSVLIRTNEDVPSGPPRKEVEAVNSTSVKVSWRSPVFNKQ HGQIRGYQVHYVRMENGEPKGQPMKDVMLADAQWFEFDDTTEHDMIISGLQP ETSYSLTVTAYTTKGDGARSKPKLVSTTGAVPGKPRLVINHTQMNTALIQWHPPV DTFGLQGYRLKFKRDKMEPLTTLFSEKEDHFTATDIHKGASYVFRLSARNKVG FGEEMVKEISIPPEVPTGFPQNLHSEGTSTSVQLSWQPPVLAERNGIITKYLLYR DINIPLPMEQLIVPADTMTLTLGLKPDTTYDVKVRHAHTSKGPGPYSPSVQFRTL VDQVFAKNFHVAVMKTSVLLSWEIPENYNSAMPFKILYDDGKMVEEVDGRATQ KLIVNLKPEKSYFVLTNRGNSAGGLQHRVTAKTAPDVLRTKPAFIGKTNLDGMIT VQLPEVPANENIKGYIIIVPLKKSARGKFIKPWESPDEMEDELLEKISRKRRSIRYG REVELKPYIAAHFDVLPTEFTLGDDKHGGFTNKQLQSGQEYVFFVLAVMEHAES KMYATSPYSDPVVSMDLDPQITDEEE
Purity	Greater than 90% as determined by SDS-PAGE.
Source	Mammalian cell
MW	139.5 kDa