

Product Datasheet

NAT10 antibody (orb19510)

Description

Goat polyclonal antibody to NAT10


Species/Host

Goat

Reactivity

Canine, Human, Mouse, Rat

Conjugation

Unconjugated

Tested

ELISA, IHC

Applications

Immunohistochemical staining of Human Co...

Target

NAT10 / hALP

Preservatives

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH 7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.

Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Note

For research use only

Application notes

ELISA: Peptide ELISA: antibody detection limit dilution 1:64000. WB: Preliminary experiments gave an approx 26kDa band in Human Brain (Cerebellum, Frontal Cortex and Hippocampus) lysates after 0.01 µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 116kDa according to NP_078938.1. The 26kDa band was successfully blocked by incubation with the immunizing peptide. We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates Have any further splice variants/modified forms been reported

Protein Sequence

KSDKKRRKLEAKQ

Clonality

Polyclonal

MW

116

Entrez
[55226](#)
Dilution Range

ELISA: 1:64000, WB: 0.01 µg/ml, IHC-P: 3-6µg/ml

Expiration Date

12 months from date of receipt.