



Product Datasheet

STK39 antibody (orb20260)


Description	Goat polyclonal antibody to STK39
Species/Host	Goat
Reactivity	Canine, Human, Mouse, Rat
Conjugation	Unconjugated
Tested Applications	ELISA, IHC, WB
Target	STK39 / SPAK
Preservatives	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH 7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Note	For research use only
Application notes	IHC: In paraffin embedded Human Cerebral Cortex shows textured staining in the neurons. Recommended concentration, 3-5µg/ml.WB: Approx 65kDa band observed in Human Brain (Cerebellum) lysates and in lysates of cell line Jurkat (calculated MW of 59.5kDa according to NP_037365.2). Recommended concentration: 0.3-1 µg/ml.
Protein Sequence	SQEKSRRVKEENPE
Clonality	Polyclonal
MW	59.5
Entrez	27347
Dilution Range	ELISA: 1:8000, WB: 0.3-1 µg/ml, IHC-P: 3-5µg/ml
Expiration Date	12 months from date of receipt.



Western blot analysis of Jurkat lysate (...)



Immunohistochemical analysis of formalin...



Western blot analysis of staining of Mou...