

Product Datasheet

Goat IgG Dog IgA (FITC) antibody (orb21796)



www.biorbyt.com

Describitionnts. When applied in any cytochemical or

phase coupling techniq...

Species/Host Goat

FITC Conjugation

Preservatives FITC-coupled purified hyperimmune goat

IgG lyophilized from a solution in

phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere

with the antibody activity.

Form/Appearance FITC-coupled purified hyperimmune goat

IgG lyophilized from a solution in

phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere

with the antibody activity.

Storage Storage: The lyophilized conjugate is

> shipped at ambient temperature and may be stored at +4°C; prolonged storage at or below -20°C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at +4°C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the

immunoconjugate

Note For research use only

Clonality Polyclonal

Pools of purified IgA isolated from dog Source

> serum. Freund's complete adjuvant is used in the first step of the immunization

procedure.

Hazard This product is intended FOR RESEARCH Information

USE ONLY, and FOR TESTS IN VITRO, not

for use in diagnostic or therapeutic procedures involving humans or animals.

This datasheet is as accurate as reasonably achievable, but Biorbyt

accepts no liability for any inaccuracies or

omissions in this information.