

Product Datasheet

Goat IgG Rat IgG1 IgG2A IgG2B IgG2C IgA IgM (FITC) antibody (orb22069)



www.biorbyt.com

Descriptionnts. Fluorescein isothiocyanate-

polyclonal goat antiserum to rat

IgG, IgA and ...

Species/Host Goat

Conjugation FITC

Preservatives FITC-coupled purified

hyperimmune goat IgG Iyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.

Form/Appearance FITC-coupled purified

hyperimmune goat IgG Iyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as it may interfere with the antibody activity.

Storage Storage: The lyophilized conjugate

is shipped at ambient temperature and may be stored at +4°C; prolonged storage at or below -20°C. Prior to use, an aliquot is thawed slowly at ambient

temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at +4°C, not refrozen, and preferably used

the same day. If a slight

precipitation occurs upon storage,

this should be removed by

centrifugation. It will not affect the

performance of the immunoconjugate

Note For research use only

Clonality Polyclonal

Source Purified polyclonal IgG and

homogenous IgA and IgM isolated from rat serum. Freund's complete adjuvant is used in the first step of the immunization procedure.

This product is intended FO

Email: info@biorbyt.com | Phone: +44 (0) 1223 859-353 | Fax: +44 (0) 1223 280

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom

Biorbyt Ltd.

Biorbyt LLC.

68 TW Alexander Drive
Research Triangle Park
Durham, North
Carolina
br>27709. United States

Email: info@biorbyt.com | Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558