

---

## Product Datasheet

### Goat IgG Fab Human IgG Fab (TRITC) antibody (orb22145)

Analysis Reagents.

Tetramethylrhodamine isothiocyanate-

<b>Description</b>	antibodies of poly- clonal goat...
<b>Species/Host</b>	Goat
<b>Reactivity</b>	Human
<b>Conjugation</b>	TRITC
<b>Preservatives</b>	TRITC-coupled goat F(ab $\bar{O}$ ) <sub>2</sub> antibodies lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added.
<b>Form/Appearance</b>	TRITC-coupled goat F(ab $\bar{O}$ ) <sub>2</sub> antibodies lyophilized from a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added.
<b>Storage</b>	Storage: The lyophilized conjugate is shipped at ambient temperature and may be stored at +4°C; prolonged storage at or below -20°C. Prior to use, an aliquot is thawed slowly in the dark at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at +4°C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate
<b>Note</b>	For research use only
<b>Clonality</b>	Polyclonal
<b>Source</b>	Purified Fab prepared from normal IgG isolated from pooled human serum. Freund's complete adjuvant is used in the first step of the immunization procedure.
<b>Hazard Information</b>	This product is intended FOR RESEARCH USE ONLY, and FOR TESTS IN VITRO, not for use in diagnostic or therapeutic procedures involving humans or animals. This datasheet is as accurate as reasonably achievable, but Nordic-MUbio accepts no liability