





---

## Product Datasheet

### Parkin/PRKN Antibody (orb234353)

<b>Description</b>	Parkin/PRKN Antibody	
<b>Species/Host</b>	Rabbit	
<b>Reactivity</b>	Human, Mouse, Rat	
<b>Conjugation</b>	Unconjugated	
<b>Tested Applications</b>	ICC, IHC, WB	IHC(P) analysis of Mouse Brain Tissue us...
<b>Immunogen</b>	E.coli-derived human Parkin recombinant protein (Position: I23-K416). Human Parkin shares 82% and 84% amino acid (aa) sequence identity with mouse and rat Parkin, respectively.	
<b>Form/Appearance</b>	Lyophilized	
<b>Concentration</b>	Adding 0.2 ml of distilled water will yield a concentration of 500 µg/ml.	
<b>Storage</b>	Store at -20°C for one year from date of receipt. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for six months. Avoid repeated freeze-thaw cycles.	IHC(P) analysis of Rat Brain Tissue usin...
<b>Note</b>	For research use only	
<b>Application notes</b>	WB: The detection limit for Parkin is approximately 0.2ng/lane under reducing conditions. Tested Species: In-house tested species with positive results. By Heat: Boiling the paraffin sections in 10mM citrate buffer, pH6.0, for 20mins is required for the staining of formalin/paraffin sections. Other applications have not been tested. Optimal dilutions should be determined by end users. . Add 0.2ml of distilled water will yield a concentration of 500ug/ml.	
<b>Isotype</b>	Rabbit IgG	IHC(P) analysis of Human Intestinal Canc...
<b>Clonality</b>	Polyclonal	
<b>MW</b>	51641 MW	
<b>Uniprot ID</b>	<a href="#">O60260</a>	
<b>Expiration Date</b>	12 months from date of receipt.	