
Product Datasheet

RBP Antibody / Retinol Binding Protein 1 (orb248529)

Description

Retinol binding protein a single-chain glycoprotein


Species/Host

mole...

Mouse

Reactivity

Human, Mouse, Rat

Conjugation

Unconjugated


Tested Applications

IHC-P

 IHC testing of
FFPE human
hepatocellular...

Immunogen

Retinol binding protein purified from human plasma was used as the immunogen for this RBP antibody. Its epitope localizes between amino acids 74-182.


Preservatives

0.2 mg/ml in 1X PBS with 0.1 mg/ml rAlbumin (US sourced) and 0.05% sodium azide

Storage

Store the RBP antibody at 2-8°C (with azide) or aliquot and store at -20°C or colder (without azide).

Note

For research use only

 SDS-PAGE
Analysis of
Purified, BSA-
Free ...

Application notes

The concentration stated for each application is a general starting point. Variations in protocols, secondaries and substrates may require the antibody to be titered up or down for optimal performance.1. Staining of formalin-fixed tissues requires boiling tissue sections in 10mM Citrate Buffer, pH 6.0, for 10-20 min followed by cooling at RT for 20 minutes2. The prediluted format is supplied in a dropper bottle and is optimized for use in IHC. After epitope retrieval step (if required), drip mAb solution onto the tissue section and incubate at RT for 30 min.

Formula

0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide

Isotype

Mouse IgG1, kappa

Clonality

Monoclonal

Purity

Protein G affinity chromatography

Hazard Information

This RBP antibody is available for research use only.

Entrez
5947
Dilution Range

Immunohistochemistry (FFPE): 0.1-0.2ug/ml for 30 min at RT