



Product Datasheet

Antibody Sampler Kit (orb342266)

Description Antibody Sampler Kit

Conjugation Unconjugated

Tested ELISA, WB

Applications

Immunogen VDAC, GAPDH, alpha-Tubulin, HDAC-1, beta-Actin

Preservatives 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride,

pH 7.2

Form/Appearance Liquid (sterile filtered)

Storage Store vials at -20° C or below prior to opening. The

primary antibodies contain a relatively low volume of reagent (25 μ L). To minimize loss of volume dilute 1:10 by adding 225 μ L of the buffer stated above directly to the vial. Recap, mix thoroughly and briefly centrifuge to collect the volume at the bottom of the vial. Use this intermediate dilution when calculating final dilutions as recommended below. Store the vial at -20°C or below after dilution. Avoid cycles of freezing and thawing.

Note For research use only

Application notes Each kit contains one unit of the following products:

Anti-VDAC/Porin (RABBIT) Antibody (25 μ L) Anti-Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH) (RABBIT) Antibody (25 μ L) Anti-alpha-Tubulin (RABBIT) Antibody (25 μ L) Anti-HDAC-1 (RABBIT) Antibody (25 μ L) Anti-beta Actin (RABBIT) Antibody (25 μ L) Anti-RABBIT IgG (H&L) (GOAT) Antibody Peroxidase Conjugated (2

mg)

Purity All loading control antibodies included in this kit -

VDAC/Porin Antibody, GAPDH Antibody, alpha-Tubulin Antibody, HDAC-1 Antibody and beta-Actin Antibody are


affinity purified against there respective targets.

Dilution Range ELISA: 1:5,000 - 1:25,000, WB: 1:500 - 1:5,000

Expiration Date Please enquire.



Western Blot of Rabbit Anti-Alpha Tubuli...



Western Blot of Rabbit Anti-Beta Actin A...



Western Blot of Rabbit Anti-HDAC-1 Antib...

Carolina < br > 27709. United States

68 TW Alexander Drive
br>Research Triangle Park
br>Durham, North