

Product Datasheet

Goat IgG F(ab')2 antibody (Peroxidase) (orb346992)



www.biorbyt.com

Descriptionnts. Goat IgG F(ab')2 antibody (Peroxidase)

Species/Host Rabbit

Reactivity Goat

Conjugation HRP

Tested ELISA, IHC, WB

Applications

Immunogen Goat IgG F(ab')2 fragment

Preservatives 0.01% (w/v) Gentamicin Sulfate. Do NOT add

Sodium Azide!

Form/Appearance Lyophilized

Concentration 2.0 mg/mL

Storage Store vial at 4° C prior to restoration. For extended

storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid.

Dilute only prior to immediate use.

Note For research use only

Application notes Anti-Goat IgG F(ab')2 Peroxidase Antibody has been

tested by ELISA and is assayed against $1.0~\mu g$ of Goat IgG in a standard capture ELISA using ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:7,000 to 1:35,000 of the reconstitution concentration is

suggested for this product.

Isotype IgG

Clonality Polyclonal

Purity This product was prepared from monospecific

antiserum by immunoaffinity chromatography using

Goat IgG coupled to agarose beads. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit

Serum, Goat IgG, Goat IgG F(ab')2 and Goat Serum. No reaction was observed against Goat IgG F(c).

Dilution Range ELISA: 1:10,000 - 1:50,000, IHC: 1:500 - 1:2,500,

WB: 1:1,000 - 1:10,000

Expiration Date 12 months from date of receipt.



ELISA results of purified Rabbit Anti-Go...