

---

## Product Datasheet

### Goat IgG (H&L) antibody (Biotin) (orb347015)

**Description**

Goat IgG (H&amp;L) antibody (Biotin)

**Species/Host**

Rabbit

**Reactivity**

Goat

**Conjugation**

Biotin

**Tested**

ELISA, IHC, WB

**Applications**
**Immunogen**

Goat IgG whole molecule

**Preservatives**

0.01% (w/v) Sodium Azide

**Form/Appearance**

Lyophilized

**Concentration**

2.0 mg/mL

**Storage**

Store Goat Secondary Antibody at 4° C prior to restoration. For extended storage aliquot secondary antibody and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

**Note**

For research use only

**Application notes**

Anti-Goat IgG Biotin Antibody has been tested by ELISA. Secondary antibody reagents are ideal for western blotting, Immunohistochemistry, ELISA, Fluorescence Microscopy, Flow Cytometry as well as other antibody detection methods.

**Isotype**

IgG

**Clonality**

Polyclonal

**Purity**


Goat Secondary Antibodies are prepared from monospecific antiserum by immunoaffinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Rabbit Serum, Goat IgG and Goat Serum.

**Dilution Range**

ELISA: 1:20,000 - 1:100,000, IHC: 1:1,000 - 1:5,000, WB: 1:2,000 - 1:10,000

**Expiration Date**

12 months from date of receipt.



ELISA  
Results of  
Rabbit Anti-  
Goat IgG  
An...